

Notice of Allowability	Application No.	Applicant(s)	
	10/769,798	YUN, SUNG-JOONG	
	Examiner	Art Unit	
	Dismery E Mercedes	2651	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 10/769,798.
2. ☒ The allowed claim(s) is/are 23.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 3/4/2005.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date <u>2/3/2004</u> | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

DETAILED ACTION

Drawings

1. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: “10, 12, 14, 16, 18” from FIG.4. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either “Replacement Sheet” or “New Sheet” pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Allowable Subject Matter

2. The following is an examiner’s statement of reasons for allowance:

Claims 1 & 9 are allowable over Prior Art of Record since the cited references, in particular Kim (US 6,292,450 B1), Oh (US 5,610,776) and Yamada (US 5,812,752), taken alone or in combination do not teach or suggest the applicant’s invention: adding parameters corresponding to the current error recovery operation and parameters corresponding to the previous error recovery operation to parameters corresponding to a subsequent error recovery operation when the performance of the current error recovery operation is better than the performance of the previous

Art Unit: 2651

error recovery operation, and ignoring the parameters corresponding to the current error recovery operation and adding the parameters corresponding to the previous error recovery operation to the parameters corresponding to the subsequent error recovery operation when the performance of the current error recovery operation is not better than the performance of the previous error recovery operation.

Claim 16 is allowable over Prior Art of Record since the cited references taken alone or in combination do not teach or suggest' wherein if the CSM in the previous ERP is greater than the CSM in the current ERP, adding current parameters and previous parameters to subsequent parameters, and if the CSM in the previous ERP is less than the CSM in the current ERP, ignoring the current parameters and adding previous parameters to subsequent parameters.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- Kim (US 6,292,450 B1) discloses a method of automatically controlling bandwidth of waveform equalizer.
- Oh (US 5,610,776) discloses a method of optimizing read channel of disk drive recording apparatus by using error rate.
- Yamada (US 5,812,752) discloses a method of optimizing read channel of disk drive recording apparatus by using error rate.

Art Unit: 2651

- Dounn et al. (US 5,533,031) discloses adjustable read channel equalization for error processing in a recordable media drive.
- Kim et al. (US 6,275,346 B1) discloses a technique of optimizing read/write channel parameters.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dismery E Mercedes whose telephone number is 703-306-4082. The examiner can normally be reached on Monday - Friday, from 9:00am - 4:00pm.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Hudspeth can be reached on 703-305-4040. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Dismery E Mercedes
Examiner
Art Unit 2651

DM

DEM 3/5/05


DAVID HUDSPETH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600